

Index

References in brackets after page numbers refer to SMM7 and the Common Arrangement of Work sections.

- A PRELIMINARIES/GENERAL/CONDITIONS, 175, 504
- Access
 - covers and frames, 489 (R12), 782 (R12)
 - flooring, 145 (AE), 354 (K41)
- ACKNOWLEDGEMENTS, xi
- Acoustic wall panels, 347 (K13)
- Addresses, useful, 955
- AGGREGATES LEVY, 21
- Air conditioning systems, approx. estimates, 151
- Air bricks, 264 (F30), 585 (F30)
- Alterations, 523 (C90)
- Alternative material prices
 - blocks, 249 (F10)
 - concrete, 216 (E10)
 - facing bricks, 242 (F10)
 - glass, 376 (L40)
 - insulation, 425 (P10)
 - sheet linings and casings, 333 (K10)
 - slate or tile roofing, 304 (H60)
 - tile slab and block finishings, 392 (M40)
 - timber, 282 (G20)
- Aluminium
 - 'Alutrim' roof edging, 325 (J21), 629 (J21)
 - copings, 318 (H72), 622 (H72)
 - coverings/flashings, 135 (AE), 316 (H72), 621 (H72)
 - grates and covers, 482 (R12), 776 (R12)
 - gutters, 462 (R10), 760 (R10)
 - "Kal-Zip" cladding, 317 (H72)
 - patio doors, 368 (L20), 670 (L20)
 - pipes, rainwater, 461 (R10), 759 (R10)
 - roof decking, 332 (J43)
 - windows, 141 (AE), 362 (L10), 664 (L10)
- Anchors, 266 (F30), 587 (F30)
- Anchor slots, 236 (E42), 562 (E42)
- Angle
 - beads, 389 (M20), 688 (M20)
 - fillets, 263 (F30), 584 (F30)
- Apartments, Building Cost Model, 115
- APPROXIMATE ESTIMATES (AE), 127
 - Ceiling Finishes, 147
 - Drainage, 157
 - Electrical Installations, 151
 - External Services, 161
 - External Walls, 138
 - Fittings and Furnishings, 148
 - Floor Finishes, 145
 - Frame and Upper Floors, 131
 - Gas Installation, 152
 - Heating, Air-Conditioning and Ventilating Installations, 150
 - Internal Walls, Partitions and Doors, 142
 - Lift and Conveyor Installations, 152
 - Protective, Communication and Special Installations, 153
- Roof, 133
- Sanitary and Disposal Installations, 148
- Approximate Estimates – cont'd
 - Site Work, 154
 - Stairs, 136
 - Substructure, 128
 - Wall Finishes, 144
 - Water Installations, 150
 - Windows and External Doors, 140
- Arch frames, steel, 391 (M30), 690 (M30)
- ARCHITECTS' FEES, 798
- Architraves, 429 (P20), 726 (P20)
- "Artex", 147 (AE), 403 (M60), 701 (M60)
- Asbestos-free
 - corrugated sheets, "Eternit", 298 (H30), 607 (H30)
 - slates, "Eternit", 310 (H61), 616 (H61)
- Asphalt
 - damp-proofing, 324 (J20), 628 (J20)
 - flooring, 382 (M11), 681 (M11)
 - roads, 450 (Q22), 748 (Q22)
 - roofing, 325 (J21), 629 (J21)
 - tanking, 324 (J20), 628 (J20)
- B NEW ITEMS, 191, 505
- Backings, cement: sand, 384 (M20), 683 (M20)
- Balloon gratings, 461 (R10), 759 (R10)
- Balustrades
 - laminated glass, 375 (L30), 677 (L30), 660 (L30)
 - metal, 137 (AE), 375 (L30), 677 (L30)
 - stainless steel, 137 (AE), 375 (L30), 677 (L30)
 - timber, 371 (L30), 673 (L30)
- Basements, approximate estimates, 128
- Bases to roads/pavings, 449 (Q10), 747 (Q10)
- Basins, lavatory, 149 (AE), 420 (N13), 717 (N13)
- Bath panel, glazed hardboard, 344 (K11), 645 (K11)
- Bathroom pods approximate estimates, 148
- Baths, 149 (AE), 420 (N13), 718 (N13)
- Beams,
 - laminated, 287 (G20), 597 (G20)
 - steel, 269, 279 (G10), 590 (G10)
- Bedding and pointing frames, 371 (L20), 672 (L20)
- Beds and backings, 384 (M20), 683 (M20)
- Beds, benching and coverings
 - concrete, 476 (R12), 771 (R12)
 - granular fill, 475 (R12), 771 (R12)
 - sand, 475 (R12), 771 (R12)
- "Bentonite" slurry, 211 (D40)
- Bidets, 423 (N13), 721 (N13)
- Biomass and CHP systems, 45
- Bitumen strip slates, 323 (H76), 627 (H76)
- "Bitumetal" roof decking, 332 (J43)
- "Bituthene" sheeting, 326 (J40), 630 (J40)
- Blinding with sand, 208 (D20), 542 (D20)
- Blinds,
 - louvre, 418 (N10/11), 716 (N10/11)

- roller, 417 (N10/11), 716 (N10/11)
- Blockboard linings, 342 (K11), 644 (K11)
- Block flooring, wood, 396 (M42), 694 (M42)
- Blocks
 - alternative material prices, 249 (F10)
 - gas flue, 264 (F30), 585 (F30)
 - paviors, 155 (AE), 454 (Q25), 752 (Q25)
- Blockwork
 - Celcon, 250 (F10)
 - Durox "Supablocs", 249 (F10)
 - Forticrete, 250 (F10), 256 (F10), 577 (F10)
 - Forticrete 'coloured', 256 (F10), 578 (F10)
 - Glass, 257 (F10), 578 (F10)
 - Hanson "Conbloc", 249, 255 (F10), 576 (F10)
 - Hanson "Fenlite", 250 (F10)
 - Lignacite, 250, 254 (F10), 576 (F10)
 - Tarmac "Hemelite", 250 (F10)
 - Tarmac "Toplite", 250 (F10)
 - Terra Cotta, 257 (F10)
 - Thermalite "High strength", 253 (F10), 575 (F10)
 - Thermalite "Party wall", 253 (F10), 575 (F10)
 - Thermalite "Shield", 252 (F10), 573 (F10)
 - Thermalite "Smooth face", 253 (F10), 574 (F10)
 - Thermalite "Trenchblock", 254 (F10), 575 (F10)
 - Thermalite "Turbo", 251 (F10), 572 (F10)
 - Thin joint, 252 (F10), 573 (F10)
- Boilers, 449 (T10), 792 (T10)
 - combination, 449 (T10), 792 (T10)
- Bollards, approximate estimates, 156
- Bolts
 - foundation, 236 (E42), 562 (E42)
 - "Rawbolts", 292 (G20), 603 (G20)
 - see also "Ironmongery"
- "Bradstone"
 - architectural dressings, 260 (F22), 580 (F22)
 - roof slates, 313 (H63), 618 (H63)
 - walling, 259 (F22), 579 (F22)
- Breaking out, existing materials, 202, 204 (D20), 535, 537 (D20)
- Brick
 - cladding systems, 139 (AE), 303 (H51)
 - manholes, 158 (AE), 488 (R12), 781 (R12)
 - paviors, 155 (AE), 453 (Q25), 751 (Q25)
- "Brickforce" reinforcement, 262 (F30), 583 (F30)
- Bricks
 - alternative facing prices, 242 (F10)
 - common, 239 (F10), 564 (F10)
 - engineering, 241 (F10), 565 (F10)
 - facings, 243 (F10), 566 (F10)
 - slip, 249 (F10), 572 (F10)
 - tiles, 249 (F10)
- Brickwork and blockwork
 - removal of, 514 (C20)
 - repairs to, 517 (C41)
- Bridges, approximate estimates, 156
- Brise soleil, approximate estimates, 140 (AE), 194 (B), 297 (H11), 363 (L10)
- "Bubbledeck", 191 (B), 222 (E10)
- Builder's work in connection,
 - electrical, 444 (P31), 742 (P31)
 - with services, 445 (P31), 742 (P31)
- Building
 - cost models, see "Cost Models"
 - COSTS AND TENDER PRICES, 59
 - costs index, 59
 - fabric sundries, 425 (P), 723 (P)
 - hourly rates/operatives' earnings, 849
 - paper, 222 (E10), 400 (M50), 425 (P10), 550 (E10), 697 (M50), 723 (P10)
 - PRICES PER FUNCTIONAL UNITS, 65
 - PRICES PER SQUARE METRE, 69
 - REGULATIONS FEES, 845
 - tender index, 60
- C DEMOLITION/ALTERATION/RENOVATION, 513
- Calorifiers, 496 (S10/11), 789 (S12)
- CAPITAL ALLOWANCES, 5
- Carcassing, sawn softwood, 283 (G20), 593 (G20)
- Car Parking, approximate estimates, 155
- Care Centre, Building Cost Model, 102
- Carpentry/First fixing, timber, 283 (G20), 593 (G20)
- Carpet, 400 (M51), 697 (M51)
 - gripper, 400 (M51), 697 (M51)
 - tiles, 146 (AE), 400 (M50), 697 (M50)
- Cart away from site, see "Disposal"
- Cast/ductile iron
 - access covers and frames, 489 (R12), 782 (R12)
 - accessories/gullies, 479 (R12), 773 (R12)
 - drain pipes, 157 (AE), 478 (R12), 773 (R12)
 - "Ensign" lightweight pipes, 467 (R11), 479 (R12), 765 (R11), 774 (R12)
 - gutters, 463 (R10), 761 (R10)
 - inspection chambers, 488 (R12), 781 (R12)
 - rainwater pipes, 462 (R10), 760 (R10)
 - "Timesaver"
 - drainage pipes, 478 (R12), 773 (R12)
 - soil/waste pipes, 466 (R11), 764 (R11)
- Cast stonework, 260 (F22), 579 (F22)
- "Catnic" steel lintels, 267 (F30), 587 (F30)
- Cavity
 - closers, 264 (F30), 585 (F30)
 - flashings, "Bithu-thene", 265 (F30), 586 (F30)
 - forming, 261 (F30), 581 (F30)
 - trays, polypropylene, 265 (F30), 586 (F30)
 - wall insulation, 426 (P10), 723 (P10)
 - walls, approximate estimates, 138
- Cedar
 - rainscreen cladding, 323 (H92), 627 (H92)
 - shingles, 313 (H64), 618 (H64)
- Ceiling
 - finishes, comparative, approximate estimates, 147
 - suspended, 147 (AE), 351 (K40), 653 (K40)
- "Celuka" PVC cladding, 300 (H32), 609 (H32)

- Cement, 218 (E10)
 - admixtures, 218 (E10)
 - lime:sand rendering, 384 (M20), 684 (M20)
 - sand beds/backings, 384 (M20), 683 (M20)
 - sand rendering, 384 (M20), 684 (M20)
 - sand screeds, 145 (AE), 380 (M10), 680 (M10)
- Central heating, approximate estimates, 150
- Ceramic wall and floor tiles, 145 (AE), 393 (M40), 692 (M40)
- Channels
 - clay, 489 (R12), 782 (R12)
 - precast concrete, 449 (Q10), 747 (Q10)
 - stainless steel, 237 (E42)
 - steel, 269 (G10)
 - uPVC, 490 (R12), 783 (R12)
- Chemical anchors, 293 (G20), 604 (G20)
- Chequer plate flooring, 375 (L30), 677 (L30)
- Chimney pots, 264 (F30), 585 (F30)
- Chipboard,
 - acoustic, 343 (K11), 645 (K11)
 - boarding/flooring, 343 (K11), 645 (K11)
 - flame retardant, 343 (K11), 645 (K11)
 - linings, 342 (K11), 644 (K11)
 - melamine faced, 343 (K11), 645 (K11)
- Cistern reductions, 49
- Cisterns, 496 (S10/11), 789 (S12)
- CITB levy, 170
- Cladding
 - asbestos free, 139 (AE), 298 (H30), 607 (H30)
 - brick, insulated, 303 (H51)
 - /covering, 295 (H), 608 (H)
 - granite, 394 (M40)
 - "Kal-Zip", 317 (H31)
 - "Kingspan", 299 (H31), 608 (H31)
 - marble, 145 (AE), 395 (M40)
 - portland limestone, 301 (H51)
 - precast concrete, approximate estimates, 139
 - rails/purlins, 281 (G10), 592 (G10)
 - steel, 139 (AE), 298 (H31), 608 (H31)
 - terra cotta, 303 (H53)
 - uPVC, 300 (H32), 399 (M50), 609 (H32), 696 (M50)
- Clay
 - channels, 489 (R12), 782 (R12)
 - pipes, *see "Pipework, clay"*
 - roof tiles, *see "Roofing tiles"*
- Climate Change Levy, 949
- Cloakroom racks, 416 (N10/11), 715 (N10/11)
- Cobblestone paving, 155 (AE), 453 (Q25), 751 (Q25)
- Coffered slabs, 220 (E10), 548 (E10)
- Column bases, approximate estimates, 129
- Column guards, 236 (E42), 563 (E42)
- Columns, steel, 269, 279 (G10), 590 (G10)
- Combination boilers, 499 (T10), 792 (T10)
- Comfort cooling system, approximate estimates, 150
- Common bricks, 239 (F10), 564 (F10)
- Communications installations, 154 (AE)
- Composite floor, 238 (E60)
- Compressor, plant rates, 174
- Computation of labour rates, 171
- Concrete
 - basic/alternative prices, 216 (E10)
 - beds, benchings and coverings, 476 (R12), 771 (R12)
 - blocks, *see "Blockwork"*
 - composite decking, 238 (E60), 563 (E60)
 - diaphragm walling, 128 (AE), 211 (D40)
 - floors, 131 (AE), 237 (E60), 563 (E60)
 - foundations etc., 219 (E10), 547 (E10)
 - frames, approximate estimates, 132
 - ground beams, 220 (E10), 548 (E10)
 - hacking, 234 (E41), 561 (E41)
 - inserts, 236 (E42), 562 (E42)
 - joint filler, 232 (E40), 558 (E40)
 - lightweight, 217 (E10)
 - mixer, plant rates, 174
 - piling, 209 (D20)
 - poured against excavation faces, 219 (E10), 547 (E10)
 - precast, *see "Precast Concrete"*
 - pumped, 217 (E10)
 - ready mixed, 216 (E10)
 - repairs to, 517 (C41)
 - roads/paving/bases, 156 (AE), 449 (Q21), 747 (Q21)
 - roofs, approximate estimates, 133
 - screeded beds, 219 (E10), 547 (E10)
 - shot-blasting, 234 (E41), 561 (E41)
 - shuttering, 223 (E20), 550 (E20)
 - site mixed, 218 (E10)
 - slabs, 220 (E10), 548 (E10)
 - staircases, 237, 238 (E50)
 - tamping, 234 (E41), 561 (E41)
 - walls, 139 (AE), 220 (E10), 548 (E10)
 - water repellent, 218 (E10)
- Connectors, metal, 292 (G20), 602 (G20)
- Construction Industry Training Board Levy, 170
- CONSULTING ENGINEERS' FEES, 836
- Conversion tables, 883
- Copings
 - aluminium, 318 (H72), 622 (H72)
 - brick, 245 (F10), 568 (F10)
 - concrete, precast, 268 (F31), 589 (F31)
- Copper
 - coverings/flashings, 135 (AE), 319 (H73), 622 (H73)
 - pipes, 492 (S10/11), 785 (S12)
- Cordek
 - "Cellcore CP"/ "Claymaster" formwork, 223 (E20), 550 (E20)
 - "Correx" trough formers, 225 (E20), 552 (E20)
- COST LIMITS AND ALLOWANCES, 161
 - educational buildings, 162
 - hospital buildings, 161

- housing association schemes, 163
index 59
- COST MODELS, 77**
Apartments, 115
City of London Offices, 83
Distribution Centre, 78
Health Centre, 98
Hotel, 122
Mixed Use Retail City Centre Scheme, 88
Primary Care Centre, 102
Primary School Extension, 112
Small Industrial estate, 81
Stadium, Regional, 109
Supermarket, 93
Swimming Pool and Dry Sports Facility, 105
Cotswold limestone, 258 (F20), 579 (F20)
Counter grilles, 368 (L20), 670 (L20)
Cramps, 236 (E42), 266 (F30), 303 (H51),
435 (P20), 563 (E42), 587 (F30), 732 (P20)
Creosote, 412 (M60), 710 (M60)
Crib walls, 211 (D20), 505 (B), 542 (D41)
Cubicles WC, 195 (B), 335 (K32), 508 (B),
653 (K32)
Curtain walling, 140 (AE), 193 (B), 295 (H11)
Cutting
back projections, 530 (C90)
openings, 528 (C90)
out timber, 521 (C51)
Cylinders, 496 (S10/11), 789 (S12)
- D GROUNDWORK, 201, 534**
Damp proof courses, 191 (B), 261 (F30),
506 (B), 582 (F30)
silicone injection/chemical transfusion,
583 (F30)
Damp proof membranes, 222 (E10), 326 (J40),
550 (E10), 630 (J40)
DAYWORK AND PRIME COST building industry,
853
Decking, metal roof, 298 (H31), 332 (J43),
608 (H31)
Demolition/Alteration/Renovation, 513 (C)
Design loadings for buildings, 886
Diamond drilling, 235 (E41), 447 (P31), 561 (E41),
744 (P31)
Diaphragm walling, 128 A (E), 211 (D40)
Discounts, 174
Disposal
hand, active waste, 207 (D20), 540 (D20)
hand, inert waste, 207 (D20), 540 (D20)
mechanical, active waste, 206 (D20),
540 (D20)
mechanical, inert waste, 206 (D20),
540 (D20)
systems, 461 (R), 759 (R)
Distribution Centre, Building Cost Model, 78
Division strips, 395 (M41), 693 (M41)
- Dock levellers, approximate estimates, 153
- Door**
closers and furniture, *see "Ironmongery"*
frames
frame sets, standard, 368 (L20), 670 (L20)
hardwood, 370 (L20), 671 (L20)
mdf, 368 (L20), 671 (L20)
softwood, 369 (L20), 671 (L20)
mats, 417 (N10/11), 715 (N10/11)
sills, oak, 370 (L20), 672 (L20)
- Doors**
bullet-resisting, 367 (L20), 669 (L20)
comparative prices, 143 (AE)
external, 365 (L20), 667 (L20)
fire resisting, 364 (L20), 666 (L20)
flush, 363 (L20), 665 (L20)
garage, 366 (L20), 669 (L20)
"Leaderflush" type B30, 364 (L20), 667 (L20)
matchboarded, 363 (L20), 665 (L20)
panelled
hardwood, 144 (AE), 365 (L20), 668 (L20)
softwood, 365 (L20), 667 (L20)
patio, aluminium, 368 (L20), 670 (L20)
plastic laminated, 144 (AE)
revolving, approximate estimates, 141
security, steel, 367 (L20), 669 (L20)
sets, anti-vandal, 367 (L20)
softwood, generally, 363 (L20), 665 (L20)
steel, 367 (L20), 669 (L20)
"Weatherbeater", 367 (L20), 669 (L20)
Double glazing, 197 (B), 378 (L40), 509 (B),
679 (L40)
Dowels, 435 (P20), 732 (P20)
Drainage
approximate estimates, 157
beds etc., 476 (R12), 771 (R12)
channels, 485 (R12), 778 (R12)
excavation, 470 (R12), 769 (R12)
land, 491 (R13), 784 (R13)
pipes, *see "Pipework"*
Drinking fountains, 420 (N13), 718 (N13)
"Drittherm" cavity wall insulation", 426 (P10),
723 (P10)
- Dry**
dash, 388 (M20), 687 (M20)
linings, 334, 340 (K10), 636, 642 (K10)
partitions, 335 (K10), 637 (K10)
ridge tiles, 306 (H60), 611 (H60)
risers, approximate estimates, 153
verge system, 306 (H60), 611 (H60)
Dubbing out, 525 (C90)
Ducting, floor, 447 (P31), 745 (P31)
Dumper, plant rates, 174
Dust-proof screen, 533 (C90)

Fares, for personnel, 185
 Fascia boards, 291 (G20), 601 (G20)

E IN SITU CONCRETE/LARGE PRECAST CONCRETE, 216, 547

Earthwork support, 204 (D20), 538 (D20)
 Eaves,
 verges and fascia boarding, 291 (G20),
 601 (G20)
 trim, 325 (J21), 329 (J41), 625 (J21), 633 (J41)
 Edgings, precast concrete, 448 (Q10), 746 (Q10)
 Educational buildings, 162
 Electrical installations, approximate estimates, 151
 Electrical systems, 501 (V21/22), 794 (V21/22)
 Embodied energy, 53
 Engineering bricks and brickwork, 241 (F10),
 565 (F10)
 ENGINEERS' FEES, 836
 Epoxy,
 flooring, 145 (AE), 383 (M12)
 resin grout, 222 (E10), 550 (E10)
 Escalators, approximate estimates, 153
 Excavation
 constants for alternative soils, 201 (D20),
 534 (D20)
 drain trenches, 470 (R12), 769 (R12)
 generally, 201 (D20), 534 (D20)
 hand, 203 (D20), 536 (D20)
 inside existing buildings, 537 (D20)
 mechanical, 201 (D20), 534 (D20)
 preliminary trenches, 211 (D50), 543 (D50)
 services trenches, 444 (P30), 741 (P30)
 site preparation, 201 (D20), 534 (D20)
 Excavators, plant rates, 174
 "Expamet"
 beads, 389 (M20), 688 (M20)
 foundation bolt boxes, 236 (E42), 562 (E42)
 wall starters, 266 (F30), 587 (F30)
 Expanded metal lathing, 391 (M30), 690 (M30)
 Expansion
 bolts, 292 (G20), 603 (G20)
 joints,
 in brickwork, 263 (F30), 584 (F30)
 in concrete, 232 (E40), 558 (E40)
 External services, approximate estimates, 161
 External walls, approximate estimates, 138
 External water and gas installations, 498 (S13),
 790 (S13)
 "Extr-aqua-vent", 325 (J21), 329 (J41), 629 (J21),
 633 (J41)

F MASONRY, 239, 564
 Fabric reinforcement, 230 (E30), 557 (E30)
 Facing bricks,
 alternative material prices, 242 (F10)
 generally, 243 (F10), 566 (F10)

FEES

architects', 798
 building (local authority charges) regulations,
 845
 consulting engineers', 836
 planning, 840
 quantity surveyors', 800
 Felt roofing, 136 (AE), 327 (J41), 631 (J41)
 Fencing, 157 (AE), 457 (Q40), 755 (Q40)
 chain link, 157 (AE), 457 (Q40), 755 (Q40)
 cleft chestnut, 157 (AE), 459 (Q40), 757 (Q40)
 concrete slab, 459 (Q40), 757 (Q40)
 security, 460 (Q40), 758 (Q40)
 strained wire, 457 (Q40), 755 (Q40)
 timber, 157 (AE), 459 (Q40), 757 (Q40)
 Fertilizer, 456 (Q30), 754 (Q30)
 Fibreboard joint filler, 232 (E40), 559 (E40)
 Fibrous plaster, 392 (M31), 691 (M31)
 Fill existing openings, 530 (C90)
 Fillets, mortar, 263 (F30), 583 (F30)
 Filling
 hand, 207 (D20), 541 (D20)
 mechanical, 207 (D20), 541 (D20)
 Filter membrane, 208 (D20), 542 (D20)
 Finishes,
 approximate estimates, 144
 surface 380 (M), 680 (M)
 Fire
 alarms, approximate estimates, 153
 barrier, 427 (P10), 725 (P10)
 check channel, 427 (P10), 724 (P10)
 fighting equipment, 153 (AE)
 insurance, 177
 protection
 compound, 427 (P10), 724 (P10)
 intumescent paint, 133 (AE), 280 (G10),
 591 (G10)
 Mandolite "CP2" coatings, 390 (M22),
 689 (M22)
 "Pyrok WF26" cementitious render,
 390 (M22), 689 (M22)
 "Quelfire" fire compound, 427 (P10),
 724 (P10)
 "Vermiculux" claddings, 341 (K10),
 643 (K10)
 resisting
 "Albi" retardent paint/coatings, 407 (M60),
 704 (M60)
 glass, 377 (L40), 678 (L40)
 seals, 427 (P10), 724 (P10)
 shutters, approximate estimates, 142
 stops, 427 (P10), 724 (P10)
 walls, 350 (K30), 652 (K30)

- "Firecase 'S'" cladding, 341 (K10), 643 (K10)
 Firrings, timber, 288, 289 (G20), 599, 600 (G20)
 Fittings, 413 (N10/11), 711 (N10/11)
 Fittings and furnishings, 148 (AE)
 Fittings, kitchen, 148 (AE), 415 (N10/11),
 713 (N10/11)
 Flashings, *see* "Roof coverings/flashings"
 "Flettons", *see* "Common bricks"
- Floor**
 ducting, 447 (P31), 745 (P31)
 finishes, comparative, 146 (AE)
 hardener, 406 (M60), 703 (M60)
 sheeting/carpetting
 carpet, 400 (M51), 697 (M51)
 linoleum, 146 (AE), 397 (M50), 694 (M50)
 safety flooring, 397 (M50), 694 (M50)
 slip resistant, 397 (M50), 694 (M50)
 sports flooring, 397 (M50), 695 (M50)
 vinyl, 146 (AE), 397 (M50), 695 (M50)
 units, 148 (AE), 415 (N10/11), 713 (N10/11)
- Flooring**
 alternative material prices, 392 (M40)
 chequer plate, 375 (L30), 677 (L30)
 in situ
 asphalte, 382 (M10), 681 (M10)
 epoxy, 145 (AE), 383 (M12)
 granolithic, 145 (AE), 380 (M10),
 680 (M10)
 polyester resin, 145 (AE)
- slab
 granite, 146 (AE), 394 (M40)
 marble, 146 (AE), 395 (M40)
 stone, approximate estimates, 146
- tiles
 alternative tile materials, 392 (M40)
 carpet tiles, 146 (AE), 400 (M50),
 697 (M50)
 cork tiles, 399 (M50), 696 (M50)
 linoleum tiles, 146 (AE), 399 (M50),
 696 (M50)
 mosiac, 394 (M40), 693 (M40)
 quarry tiles, 143 (AE), 393 (M40),
 691 (M40)
 slate, 146 (AE), 395 (M40), 693 (M40)
 studded rubber tiles, 399 (M50),
 697 (M50)
 terrazzo, 146 (AE), 395 (M41), 693 (M41)
 vinyl tiles, 146 (AE), 398 (M50),
 695 (M50)
- timber
 hardwood strip, 145 (AE), 350 (K20),
 652 (K20)
 laminated, 343 (K11), 645 (K11)
 softwood boarded, 145 (AE),
 348 (K20), 650 (K20)
 sports, 349 (K20), 652 (K20)
 wood blocks, 146 (AE), 396 (M42),
 694 (M42)
- Floors**
 access/raised, 146 (AE), 354 (K41)
- approximate estimates, 131
 composite, 237 (E60)
 concrete, approximate estimates, 131
 post-tensioned concrete, 131 (AE)
 precast concrete, 131 (AE), 237 (E60),
 563 (E60)
- Flue**
 blocks, 264 (F30), 585 (F30)
 "ICS Plus" system, stainless steel, 499 (T10),
 792 (T10)
- Footbridges, approximate estimates, 156
- Formica-faced MDF, 413 (N10/11), 711 (N10/11)
- Formulae, 884
- Formwork**
 "Cellcore CP" heave pressure formwork,
 223 (E20), 551 (E20)
 "Claymaster" formwork, 223 (E20), 550 (E20)
 "Correx" troughed formers, 225 (E20),
 552 (E20)
 generally, 223 (E20), 550 (E20)
 permanent, 223 (E20), 238 (E60), 550 (E20)
- Foundation bolts and boxes, 236 (E42), 562 (E42)
- Foundations, approximate estimates, 128
- Frame and upper floors, approximate estimates,
 131
- Frames**
 bedding and pointing, 371 (L20), 672 (L20)
- door
 hardwood, 370 (L20), 671 (L20)
 mdf, 368 (L20), 671 (L20)
 softwood, 369 (L20), 671 (L20)
- window
 hardwood, 355 (L10), 658 (L10)
 softwood, 355 (L10), 658 (L10)
- French polish, 408 (M60), 705 (M60)
- Fungus/Beetle eradication, 522 (C52)
- Furniture/equipment, 148 (AE), 413 (N), 711 (N)
- G STRUCTURAL/CARASSING METAL/TIMBER,**
 269, 590
- Gabion baskets, 211 (D41), 505 (B), 542 (D41)
- Galvanizing, 280 (G10), 591 (G10)
- Gang rates, 172
- Garage doors, steel, 366 (L20), 669 (L20)
- Gas**
 flue blocks, 264 (F30), 585 (F30)
 installations, approximate estimates, 152
- Gates, 458 (Q40), 756 (Q40)
- Gate valves, 495 (S10/11), 788 (S12)
- "Glasal" sheeting, 297 (H20), 606 (H20)
- "Glasroc 'Firecase S'" GRG boards, 341 (K10),
 643 (K10)
- "Glasroc 'Multiboard'" panelling, 347 (K14),
 649 (K14)
- Glass**
 basic material prices, 376 (L40)

- block walling, 142 (AE), 257 (F11), 578 (F11)
- fibre insulation, 425 (P10), 723 (P10)
- fire-resisting, 377 (L40), 678 (L40)
- louvres, 378 (L40), 679 (L40)
- mirror panels 145 (AE), 378 (L40), 679 (L40)
- mirrors, 417 (N10/11), 715 (N10/11)
- reinforced panelling, 347 (K14), 649 (K14)
- Glazed ceramic wall and floor tiles, 145 (AE), 393 (M40), 692 (M40)

- Glazing
 - beads, 429 (P20), 727 (P20)
 - double, 197 (B), 378 (L40), 509 (B), 679 (L40)
 - generally, 376 (L40), 677 (L40)
 - patent, 135, 140 (AE), 295 (H10), 606 (H10)
 - triple, 198 (B), 379 (L40), 509 (B), 679 (L40)
- "Glulam" timber beams, 287 (G20), 597 (G20)
- Goods lifts, approximate estimates, 153
- Grab rails, 423 (N13), 722 (N13)
- Granite
 - flooring, 146 (AE), 394 (M40)
 - setts, 155 (AE), 455 (Q25), 753 (Q25)
 - wall linings, 394 (M40)
- Granolithic paving, 145 (AE), 380 (M10), 680 (M10)
- Granular
 - beds, benches and coverings, 475 (R12), 771 (R12)
 - fill, 207 (D20), 541 (D20)
- Grass seed, 154 (AE), 456 (Q30), 754 (Q30)
- Grating
 - aluminium, 482 (R12), 776 (R12)
 - cast/ductile iron, road, 483 (R12), 777 (R12)
 - wire balloon, 461 (R10), 759 (R10)
- Gravel
 - pavings, 155 (AE), 453 (Q23), 751 (Q23)
 - resin bonded, 453 (Q23), 751 (Q23)
- Green roofs, 51, 136 (AE)
- Grey water recycling systems, 48
- Grilles roller, 142 (AE), 368 (L20), 670 (L20)
- Ground
 - beams, concrete, 220 (E10), 548 (E10)
 - slabs, approximate estimates, 130
 - works, 201 (D), 534 (D)
- Grouting, 222 (E10), 550 (E10)
- GRP
 - tiles, 325 (J21), 629 (J21)
 - translucent sheeting, 300 (H31), 609 (H31)
- Guard rails, approximate estimates, 156
- Gullies
 - cast iron, 479 (R12), 773 (R12)
 - clay, 481 (R12), 775 (R12)
 - concrete, 483 (R12), 777 (R12)
 - uPVC, 485 (R12), 778 (R12)
- Gutters
 - aluminium, 462 (R10), 760 (R10)
 - boards, 288, 289 (G20), 599, 601 (G20)
 - cast iron, 463 (R10), 761 (R10)
 - pressed steel, 464 (R10), 762 (R10)
 - uPVC, 465 (R10), 763 (R10)
- "Gyproc"
 - cove, 392 (M31), 691 (M31)
 - dry linings, 340 (K10), 643 (K10)
 - "GypLyner", 334 (K10), 636 (K10)
 - metal stud, 142 (AE), 335 (K10), 638 (K10)
 - M/F dry linings, 341 (K10), 643 (K11)
 - "Rapid/db Plus" partitions, 335 (K10), 637 (K10)

- Gypsum
 - plank, 337 (K10), 640 (K10)
 - plasterboard, 336 (K10), 638 (K10)
 - white faced, 339 (K10), 641 (K10)
 - "SoundBloc", 339 (K10), 641 (K10)
 - TEN wallboard, 337 (K10), 639 (K10)
 - thermal board, 338 (K10), 640 (K10)
 - wallboard, 336 (K10), 388 (M20), 638 (K10), 687 (M20)

- H CLADDING/COVERING, 295, 606
- Hacking
 - brickwork, 263 (F30), 584 (F30)
 - concrete, 234 (E41), 561 (E41)
- Handrails, 137 (AE), 372 (L30), 430 (P20), 674 (L30), 731 (P20)
- Hardboard, bath panels, 344 (K11), 645 (K11)
- Hardcore, 207 (D20), 541 (D20)
- Hardener, surface, 406 (M10), 703 (M10)
- Hardwood
 - architraves, 433 (P20), 730 (P20)
 - basic prices, various, 282 (G20)
 - door frames, 370 (L20), 671 (L20)
 - doors, 144 (AE), 365 (L20), 668 (L20)
 - fittings, 414 (N10/11), 712 (N10/11)
 - handrails, 434 (P20), 731 (P20)
 - skirtings etc., 423 (P20), 730 (P20)
 - staircase, 137 (AE), 371 (L30), 673 (L30)
 - strip flooring, 145 (AE), 349 (K20), 652 (K20)
 - window boards, 434 (P11), 731 (P11)
 - window frames, 356 (L10), 658 (L10)
 - windows, 141 (AE), 355, 359 (L10), 657, 661 (L10)
- Health Centre, Building Cost Model, 98
- Heating and Cooling Pumps, 47
- Heating, approximate estimates
 - air conditioning and ventilating installations, 150
- Hedges, 456 (Q31), 754 (Q31)
- Herringbone strutting, 284, 286 (G20), 594, 596 (G20)
- Hip irons, 310 (H60), 615 (H60)
- Hoists, approximate estimates, 153
- Holes for services, 444 (P31), 742 (P31)
- Holes in
 - brickwork, 445 (P31), 742 (P31)
 - concrete,
 - cutting, 235 (E41), 445 (P31), 561 (E41),

- 742 (P31)
- forming, 227 (E20), 445 (P31), 554 (E20), 742 (P31)
- hardwood, 446 (P31), 744 (P31)
- softwood, 446 (P31), 744 (P31)
- Holidays with pay, 171
- Hollow sections, 270 (G10)

- "Holorib" permanent shuttering, 225 (E20), 238 (E60)
- Hosereels, approximate estimates, 153
- Hospital Buildings, Cost Limits, 161
- Hotel, Building Cost Model, 122
- Housing Association Schemes, 163
- HOW TO USE THIS BOOK, xxvii

- INDICES
 - Building cost, 59
 - Tender prices, 60
 - Industrial Estate, Building Cost Model, 81
- Infiltration systems, 50
- Information, further sources, 955
- In situ concrete/Large precast concrete, 216 (E), 547 (E)
- Inspection chambers
 - cast iron, 488 (R12), 781 (R12)
 - clay, 481 (R12), 775 (R12)
 - concrete, 487 (R12)
 - polypropylene, 481 (R12), 775 (R12)
 - uPVC, 485 (R12), 779 (R12)
- Insulating jackets, 497 (S10/11), 790 (S12)
- Insulation,
 - alternative material prices, 425 (P10)
 - board lining, 344 (K11), 645 (K11)
 - boards to roofs, 330 (J41), 634 (J41)
 - board, tapered, 330 (J41), 634 (J41)
 - British Gypsum, "Isowool" glass fibre, 425 (P10), 723 (P10)
 - cavity wall, 428 (P11), 723 (P11)
 - Crown
 - "Dritherm", 426 (P10), 723 (P10)
 - "Frametherm", 426 (P10), 723 (P10)
 - "Loft Roll", 425 (P10), 723 (P10)
 - "Rafter Roll", 426 (P10), 723 (P10)
 - Dow
 - "Styrofoam Floormate", 426 (P10), 724 (P10)
 - "Styrofoam Roofmate", 330 (J41), 634 (J41)
 - "Styrofoam SP", 427 (P10), 725 (P10)
 - Kingspan, "Thermawall", 330 (J41), 426 (P10), 634 (J41), 724 (P10)
 - pipework, 497 (S10/11), 790 (S12)
 - polystyrene, 426 (P10), 724 (P10)
 - tank lagging, 497 (S10/11), 790 (S12)
- Insurance, 177
 - national, 171
 - property, 165
- Integrated ceilings, approximate estimates, 147
- Intercepting traps, 482 (R12), 776 (R12)
- "Intergritank" waterproofing membrane, 326 (J30), 630 (J30)
- Internal walls, partitions and doors, approximate estimates, 142
- INTRODUCTION
 - Major works, 169
 - Minor works, 503
- Intumescent
 - paint, 133 (AE), 280 (G10), 591 (G10)
 - plugs, 427 (P10), 724 (P10)
 - seals, 427 (P10), 724 (P10)
- Iroko
 - block flooring, 396 (M42), 694 (M42)
 - fittings, 414 (N10/11), 713 (N10/11)
 - strip flooring, 350 (K20), 652 (K20)
- Ironmongery
 - fixed to hardwood, 439 (P21), 737 (P21)
 - fixed to softwood, 435 (P21), 733 (P21)
- "Isocrete K" screeds, 383 (M12), 683 (M12)

- J WATERPROOFING, 324, 628
- Jacuzzi installation, approximate estimates, 154
- Jobbing work, 504
- Joint filler/sealer, 232 (E40), 559 (E40)
- Joint reinforcement, 262 (F30), 583 (F30)
- Joints
 - expansion, brick, 263 (F30), 584 (F30)
 - expansion, concrete, 232 (E40), 558 (E40)
 - hacking, 263 (F30), 584 (F30)
 - raking out, 263 (F30), 584 (F30)
- Joist hangers, 291 (G20), 602 (G20)
- Joists, floor and roof, 283 (G20), 593 (G20)
- Joists, strutting, 284, 286 (G20), 594, 596 (G20)

- K LININGS/SHEATHING/DRY PARTITIONING, 333, 636
- "Kal-Zip" cladding, 317 (H72)
- Kango, plant rates, 174
- "Kawneer" window system, 664 (H10)
- Kerbs
 - foundations, 448 (Q10), 746 (Q10)
 - precast concrete, 449 (Q10), 747 (Q10)
- Kickers, wall, 227 (E20), 554 (E20)
- "Kingspan" cladding, 299 (H31), 608 (H31)
- Kitchen fittings, 148 (AE), 415 (N10/11), 713 (N10/11)

- L WINDOWS/DOORS/STAIRS, 355, 657
- Labour rates, computation of, 171
- Lacquers, 407 (M60), 705 (M60)
- Ladders

- access, 375 (L30)
- loft, 375 (L30), 676 (L30)
- Lagging pipes, 497 (S10/11), 790 (S12)
- Lakes, approximate estimates, 155
- Laminated
 - beams, 287 (G20), 597 (G20)
 - board flooring, 343 (K11), 645 (K11)
- Land drainage, 155 (AE), 491 (R13), 784 (R13)
- LAND REMEDIATION, 25
- LANDFILL TAX, 33
- Landscaped roofs, approximate estimates, 136
- Latches, *see* "Ironmongery"
- Latex screeds, 383 (M12), 682 (M12)

- Lathing,
 - metal, 391 (M30), 690 (M30)
 - "Newlath", 690 (M30)
- Lavatory basins, 149 (AE), 420 (N13), 717 (N13)
- Lead
 - coverings/flashings/roofing, 136 (AE), 314 (H71), 618 (H71)
 - damp proof course, 262 (F30), 583 (F30)
 - soakers, 315 (H71), 620 (H71)
- Letters, script, 424 (N15), 722 (N15)
- Lift and conveyor installations, approximate estimates, 152
- Lighting
 - installation, approximate estimates, 151
 - points, 501 (V21-22), 794 (V21-22)
 - temporary, 181
- Lighting and power for the works, 181
- Lightning protection, 502 (W20), 795 (W20)
- Lightweight
 - concrete, 217 (E10)
 - roof screeds, 135 (AE), 383 (M12), 683 (M12)
- Limestone
 - chippings, 325 (J21), 629 (J21)
 - Gutting random walling, 258 (F20), 579 (F20)
 - Portland facework, 301 (H51)
 - reconstructed walling, 259 (F22), 579 (F22)
- Line marking 455 (Q26), 753 (Q26)
- Lining
 - materials, alternatives, 333 (K10)
 - paper, 400 (M52), 698 (M52)
- Linings/Sheathing/Dry partitioning, 333 (K), 636 (K)
- Linoleum
 - floor tiles, 146 (AE), 399 (M50), 696 (M50)
 - sheet flooring, 146 (AE), 397 (M50), 694 (M50)
- Linseed oil, 406 (M60), 703 (M60)
- Lintels
 - prestressed concrete, 268 (F31), 589 (F31)
 - steel, 192 (B), 267 (F30), 506 (B), 587 (F30)
- Load and cart away, active waste, 206 (D20), 540 (D20)
- Load and cart away, inert waste, 206 (D20), 540 (D20)
- Lockers, 415 (N10/11), 714 (N10/11)
- Locks, *see* "Ironmongery"
- Loft ladder, 375 (L30), 676 (L30)
- Lost time, 171

- Louvres
 - aluminium, 363 (L10), 655 (L10)
 - glass, 378 (L40), 679 (L40)

- M SURFACE FINISHES, 380, 680
- Macadam, bitumen, 450 (Q22), 748 (Q22)
- "Mandolite 'CP2'" sprayed fire protection, 390 (M22), 689 (M22)
- Manhole
 - covers, 198 (B), 489 (R12), 510 (B), 782 (R12)
 - rings, 487 (R12)
- Manholes, generally, 158 (AE), 486 (R12), 779 (R12)
- Maple strip flooring, 350 (K20), 652 (K20)
- Marble
 - flooring, 146 (AE), 395 (M40)
 - wall linings, 145 (AE), 395 (M40)
- Masonry, 239 (F), 564 (F)
 - basic material prices, 239 (F10)
 - slots, 236 (E42), 562 (E42)
- "Masterboard", 287 (G20), 344 (K11), 598 (G20), 646 (K11)
- Mastic asphalt, *see* "Asphalt"
- Materials, weights of, 917
- Mats, door, 417 (N10/11), 715 (N10/11)
- Matwells, 417 (N10/11), 715 (N10/11)
- Mechanical Heating/Cooling/Refrigeration systems, 499 (T), 792 (T)
- Mechanical plant costs, 174
- Medium density fireboard (MDF)
 - architraves, 431 (P20), 728 (P20)
 - door sets/linings, 368 (L20), 670 (L20)
 - melamine-faced, 413 (N10/11), 711 (N10/11)
 - skirtings, 430 (P20), 728 (P20)
 - window boards, 432 (P20), 729 (P20)
- Memoranda for each trade, 918
- Metal, *see also* "Steel"
 - lathing, 391 (M30), 690 (M30)
 - roof decking, 298 (H31), 332 (J43), 608 (H31)
 - stud partitions, 142 (AE), 335 (K10), 637 (K10)
- Metalwork
 - for timber, 291 (G20), 435 (P20), 602 (G20), 732 (P20)
 - removal of, 515 (C20)
 - repairs to, 520 (C50)
- "Metsec" beams, 282 (G12), 593 (G12)
- "Metsec" lightweight steel framing system, 281 (G10), 592 (G10)
- Minipile piling, 209 (D30)

- Mirror panels, 145 (AE), 378 (L40), 679 (L40)
 Mirrors, 417 (N10/11), 715 (N10/11)
 Mixed Use City Centre Scheme, Building Cost Model, 88
 "Monolux 40", 345 (K11), 646 (K11)
 Mortar, basic alternative material prices, 239 (F10)
 Mosaic
 flooring, 394 (M40), 693 (M40)
 wall tiling, 145 (AE), 394 (M40), 693 (M40)
 Movable partitions, 350 (K30), 652 (K30)
 "Multibeam" purlin and cladding rails, 281 (G10), 592 (G10)
 muPVC waste pipes, 468 (R11), 766 (R11)
- N FURNITURE/EQUIPMENT, 413, 711**
 Names and addresses, acknowledgements, xi
 useful, 955
 Nappy changing units, 423 (N13), 721 (N13)
 National insurance contributions, 171
 New Items, 191 (B), 505 (B)
 "Newlath" lathing, 690 (M30)
 Non-asbestos, *see* "Asbestos-free"
 Nosings, 400 (M50), 697 (M50)
- OAK**
 block flooring, 396 (M42), 694 (M42)
 door sills, 370 (L20), 672 (L20)
 strip flooring, 350 (K20), 652 (K20)
 Office accommodation, temporary, 180
 Offices, City of London, Building Cost Model, 83
 Openings
 cutting, 528 (C90)
 filling, 530 (C90)
 Overhead charges and profit, interpretation of
 Major Works, 169
 Minor Works, 503
- P BUILDING FABRIC SUNDRIES, 425, 723**
 Padstones, precast concrete, 268 (F31), 589 (F31)
 Paint
 acrylic eggshell, 403 (M60), 701 (M60)
 "Albi" flame retardant, 407 (M40), 704 (M60)
 aluminium, 409 (M60), 707 (M60)
 Anti-climb "Vandalene", 409 (M60), 707 (M60)
 anti-graffiti, 409 (M60), 707 (M60)
 "Artex", 403 (M60), 701 (M60)
 basic prices, 401 (M60)
 bituminous, 405 (M60), 703 (M60)
 burning off, 699 (M60), 707 (M60)
 creosote, 412 (M60), 710 (M60)
 "Cuprinol" preservative, 402 (M60), 700 (M60)
 eggshell, 403 (M60), 701 (M60)
 emulsion, 403 (M60), 700 (M60)
 epoxy anti-slip floor, 406 (M60), 703 (M60)
 gloss, 404, 409 (M60), 701, 708 (M60)
 "Hammerite", 411 (M60), 709 (M60)
 intumescent, 280 (G10), 591 (G10)
 lacquer, 407 (M60), 705 (M60)
 linseed oil, 406 (M60), 703 (M60)
 "Nitroflor Lithurin" floor hardener, 406 (M60), 703 (M60)
 "Permacour", 402 (M60), 700 (M60)
 polyurethane, 406 (M60), 704 (M60)
 preservative, 402 (M60), 700 (M60)
 protective, 405 (M60), 703 (M60)
 preparation of existing surfaces, 698 (M60), 706 (M60)
 primer, 402 (M60), 699 (M60)
 "Sadolin", 407 (M60), 705 (M60)
 "Sandtex Matt" cement paint, 409 (M60), 707 (M60)
 "Sikkens" stain, 402, 412 (M60), 700, 710 (M60)
- Paint – cont'd
 "Solignum", 412 (M60), 710 (M60)
 "Spraytone", 403 (M60), 701 (M60)
 stain, 408 (M60), 705 (M60)
 varnish, 406 (M60), 704 (M60)
 "Weathershield", 409 (M60), 707 (M60)
 Painted line, 455 (Q26), 753 (Q26)
 Pantiles, *see* "Roofing Tiles"
 Paperhanging, 400 (M52), 698 (M52)
 Parklands, approximate estimates, 155
 Partitions
 approximate estimates, 142
 cubicle, 143 (AE), 350 (K33)
 demountable, 143 (AE), 350 (K30), 652 (K30)
 fire, approximate estimates, 143
 glazed, approximate estimates, 143
 "Gyproc"
 metal stud, 142 (AE), 355 (K10), 638 (K10)
 movable acoustic, 350 (K30), 652 (K30)
 "Rapid/db Plus", 335 (K10), 637 (K10)
 sliding/folding, 368 (L20)
 soundproof, approximate estimates, 143
 terrazzo-faced, 351 (K33)
- Part L of the Building Regulations 3
 Patent glazing, 135, 140 (AE), 193 (B), 295 (H10), 507 (B), 606 (H10)
 Patio doors, aluminium, 368 (L20), 670 (L20)
 Paved areas, approximate estimates, 155
 Paving
 artificial stone, 453 (Q25), 751 (Q25)
 asphalt, 382 (M11), 681 (M11)
 block, 155 (AE), 454 (Q25), 752 (Q25)
 brick, 155 (AE), 453 (Q25), 751 (Q25)
 cement:sand, approximate estimates, 145
 cobble, 155 (AE), 453 (Q25), 751 (Q25)
 concrete flags, 155 (AE), 454 (Q25), 752 (Q25)
 granite setts, 155 (AE), 455 (Q25), 753 (Q25)
 granolithic, 145 (AE), 380 (M10), 680 (M10)
 gravel, 155 (AE), 453 (Q23), 751 (Q23)
 gravel, resin bonded, 453 (Q23), 751 (Q23)
 marble, 395 (M20)

- “York stone slab, 155 (AE), 455 (Q25), 753 (Q25)
- Paving/Planting/Fencing/Site furniture, 448 (Q), 746 (Q)
- Paviors
 - block, 155 (AE), 454 (Q25), 752 (Q25)
 - brick, 155 (AE), 453 (Q25), 751 (Q25)
- “PC” value, interpretation of, 174
- Pebble dash, 388 (M20), 687 (M20)
- Pellating, 434 (P20), 732 (P20)
- Photo-voltaics, 43, 154 (AE)
- Pile Caps, approximate estimates, 130
- Piled foundations, approximate estimates, 128, 129
- Piling
 - concrete, 209 (D30)
 - steel, 210 (D32)
- Pin-board, “Sundeala A”, 434 (P20), 731 (P20)

- Pipe
 - casings, plywood, 345 (K11), 647 (K11)
 - insulation, 497 (S10/11), 790 (S12)
 - melamine-faced, 346 (K11), 648 (K11)
- Piped systems, 492 (S), 785 (S)
- Pipework
 - aluminium, 461 (R10), 759 (R10)
 - cast iron
 - drain, 157 (AE), 478 (R12), 773 (R12)
 - “Ensign” lightweight, 467 (R11), 479 (R12), 765 (R11), 774 (R12)
 - rainwater, 461 (R10), 760 (R10)
 - soil/waste, 466 (R11), 764 (R11)
 - “Timesaver”, 157 (AE), 466 (R11), 478 (R12), 764 (R11), 773 (R12)
 - clay
 - generally, 157 (AE), 480 (R12), 491 (R13), 774 (R12), 784 (R13)
 - “Hepline” land, 491 (R13), 784 (R13)
 - “SuperSeal”, 480 (R12), 774 (R12)
 - “SuperSleve”, 480 (R12), 774 (R12)
 - concrete, 158 (AE), 483 (R12)
 - copper, 492 (S10/11), 785 (S12)
 - ductile iron, “Tyton”, 498 (S13), 791 (S13)
 - drainage, 478 (R12), 773 (R12)
 - Insulation, 497 (S10/11), 790 (S12)
 - mains, 498 (S13), 790 (S13)
 - MDPE, 498 (S13), 790 (S13)
 - muPVC waste, 468 (R11), 766 (R11)
 - overflow, 469 (R11), 767 (R11)
 - polypropylene, 467 (R11), 765 (R11)
 - PVC, *see* “uPVC”
 - rainwater, 461 (R10), 759 (R10)
 - soil, 466 (R11), 764 (R11)
 - “Speedfit”, 495 (S10/11), 788 (S12)
 - uPVC (unplasticised PVC)
 - drain, 157 (AE), 484 (R12), 777 (R12)
 - drain, ribbed pipe, 158 (AE), 484 (R12), 778 (R12)
 - overflow, 468 (R11), 767 (R11)
 - rainwater, 465 (R10), 763 (R10)
 - soil/waste, 469 (R11), 767 (R11)
 - vitrified clay, 157 (AE), 480 (R12), 491 (R13), 774 (R12), 784 (R13)
- PLANNING FEES, 840
- Planning parameters, 894
- Plant, 174, 185 (A)
- Planting, 154 (AE), 456 (Q31), 754 (Q31)
- Plaster,
 - accessories, 389 (M20), 688 (M20)
 - board finish, 388 (M20), 687 (M20)
 - cove, 392 (M31), 691 (M31)
 - fibrous, 392 (M31), 691 (M31)
 - generally, 144 (AE), 385 (M20), 685 (M20)
 - “Limelite”, 386 (M20), 686 (M20)
 - “Snowplast”, 386 (M20), 685 (M20)
 - squash court, 387 (M20)
 - “X-ray”, 387 (M20), 686 (M20)

- Plasterboard
 - dry linings, 334, 340 (K10), 642 (K10)
 - “Firecase ‘S’”, 341 (K10), 643 (K10)
 - generally, 144 (AE), 336 (K10), 638 (K10)
 - “Lafarge”, 341 (K10)
 - partitions, 334 (K10), 636 (K10)
 - plank, 337 (K10), 640 (K10)
 - plastic faced, 339 (K10), 641 (K10)
 - Soundbloc, 339 (K10), 641 (K10)
 - TEN wallboard, 337 (K10), 639 (K10)
 - thermal board, 338 (K10), 640 (K10)
 - “Vermiculux” cladding, 341 (K10), 643 (K10)
 - wallboard, 336 (K10), 388 (M20), 638 (K10), 687 (M20)
- Plastic skirtings, 400 (M50), 697 (M50)
- Plate connectors, 292 (G20), 602 (G20)
- Playground equipment, approximate estimates, 157
- Plumbers
 - earnings, 173
 - hourly rates, 851
- Plumbing operatives, 173
- Plywood, 287 (G20), 345 (K11), 598 (G20), 645 (K11)
 - boarding/flooring, 343 (K11), 645 (K11)
 - linings, 345 (K11), 647 (K11)
 - pipe casings, 345 (K11), 647 (K11)
 - roofing, 287 (G20), 598 (G20)
 - veneered, 347 (K11), 648 (K11)
- Pods, bathroom, approximate estimates, 148
- Pointing
 - expansion joints, 232 (E40), 559 (E40)
 - wood frames, etc., 263 (F30), 371 (L20), 584 (F30), 672 (L20)
- Polishing
 - floors, 396 (M42), 694 (M42)
 - french, 408 (M60), 706 (M60)
 - wax, 407 (M60), 704 (M60)
- Polyethylene cistern, 496 (S10/11), 789 (S12)
- Polypropylene
 - pipes, waste, 467 (R11), 765 (R11)
 - traps, 470 (R11), 768 (R11)

- Polythene sheeting, 222 (E10), 326 (J40), 550 (E10), 630 (J40)
- Portland
 cement, 218 (E10)
 stone cladding, 301 (H51)
- Power
 floating concrete 234 (E41), 561 (E41)
 float, plant rates, 174
 installation, approximate estimates, 151
 points, 501 (V21/22), 794 (V21/22)
- Precast/prestressed concrete
 access or inspection chambers, 487 (R12)
 channels, 449 (Q10), 747 (Q10)
 cladding panels, approximate estimates, 139
 copings, 268 (F31), 589 (F31)
 edgings, 448 (Q10), 746 (Q10)
- Precast/prestressed concrete – cont'd
 fencing, 459 (Q40), 757 (Q40)
 flooring, 131 (AE), 237 (E60), 563 (E60)
 floors, approximate estimates, 131
 kerbs, 449 (Q10), 747 (Q10)
 lintels, 268 (F31), 588 (F31)
 manhole units, 487 (R12)
 padstones, 268 (F31), 589 (F31)
 paving blocks, 155 (AE), 454 (Q25), 752 (Q25)
 paving flags, 155 (AE), 454 (Q25), 752 (Q25)
 pipes, 483 (R12)
 sills, 268 (F31), 589 (F31)
 staircases, 237, 238 (E50)
- PREFACE, ix
- Preliminaries/General conditions, 175 (A), 504 (A)
- Preparation for redecoration
 external, 706 (M60)
 internal, 698 (M60)
- Prestressed concrete floors 237 (E60)
- Prime cost, building industry, 853
- Priming steelwork, 280 (G10), 591 (G10)
- Prodex, 297 (H20), 507 (B), 607 (H20)
- Profit
 Major Works, 169
 Minor Works, 503
- PROPERTY INSURANCE, 165
- Protective, communication and special installations,
 approximate estimates, 153
- Purlins, 281 (G10), 592 (G10)
- PVC, *see* "uPVC"
- "Pyroc WF26" render, 390 (M20), 689 (M20)
- Q PAVING/PLANTING/FENCING/SITE
 FURNITURE, 448, 746
- QUANTITY SURVEYORS' FEES, 800
- Quarry tiles, 146 (AE), 393 (M40), 691 (M40)
- Quoin jambs, 532 (C90)
- R DISPOSAL SYSTEMS, 461, 759
- Radiator valves, 495 (S10/11), 788 (S12)
- Radiators, 150 (AE), 500 (T31), 793 (T31)
- Raft foundations, approximate estimates, 128
- Rafters, trussed, 133 (AE), 286 (G20), 597 (G20)
- Rainscreen cladding, 139 (AE), 195 (B), 323 (H92), 627 (H92)
- Rainwater
 harvesting systems, 48
 outlets, aluminium, 461 (R10), 759 (R10)
 pipes, 462 (R10), 759 (R10)
- Raised floors, 146 (AE), 354 (K41)
- Raking out joints of brickwork, 263 (F30), 584 (F30)
- RATES OF WAGES, 849
- "Rawlbolts", 292 (G20), 603 (G20)
- Read bed drainage, 49
- Ready-mixed concrete prices, 216 (E10)
- Reconstructed
 stone slates, 135 (AE), 312 (H63), 618 (H63)
 stone walling, 259 (F22), 579 (F22)
- Regional variations, 61
- Reinforcement
 bars, deformed, 228 (E30), 555 (E30)
 "Brickforce" joint, 262 (F30), 583 (F30)
 fabric, 230 (E30), 557 (E30)
- Reinstating concrete, 517 (C41)
- Removal of existing
 brickwork and blockwork, 514 (C20)
 chimneys, 514 (C20)
 finishes, 525 (C90)
 fixtures and fittings, 523 (C90)
 metalwork, 515 (C20)
 pipework etc., 523 (C90)
 roof coverings, 527 (C90)
 stonework, 515 (C20)
 timber, 515 (C20)
- Removing
 from site, *see* "Disposal"
 trees, 201 (D20), 534 (D20)
- Rendering
 cement:lime:sand, 384 (M20), 684 (M20)
 cement:sand, 144 (AE), 384 (M20), 684 (M20)
 "Cemrend" self coloured, 388 (M20)
 K-Rend, 385 (M20), 684 (M20)
 Pebbledash, 388 (M20), 687 (M20)
 "Sika", waterproof, 324 (J10), 628 (J10)
 "Sto", 385, (M20), 390 (M21), 684 (M20), 689 (M21)
 Tyrolean, 388 (M20), 687 (M20)
- Renovations, 517 (C41), 520 (C50), 520 (C51)
- Repairs to
 brickwork and blockwork, 517 (C41)
 concrete work, 517 (C41)
 finishes, 525 (C90)
 metalwork, 520 (C50)
 pipework, 524 (C90)
 roof coverings, 527 (C90)
 timber, 520 (C51)
- Residential, Apartments, Building Cost Model, 115
- "Resoplan" sheeting, 297 (H20), 606 (H20)

Restraints, wall and head, 266 (F30), 587 (F30)
 Retention systems, 50
 "Ribdeck" permanent shuttering, 225 (E20)
 "Rigifix" column guard, 236 (E42), 563 (E42)
 Road
 bridges, approximate estimates, 156
 crossings, approximate estimates, 156
 gratings, 482 (R12), 777 (R12)
 gully, 483 (R12), 777 (R12)
 Roads
 approximate estimates, 156
 and footpaths, concrete, 156 (AE), 449 (Q21),
 747 (Q21)
 bitumen macadam, 450 (Q22), 748 (Q22)
 hot rolled asphalt, 450 (Q22), 748 (Q22)
 Rodding point, 481, 485 (R12), 775, 778 (R12)
 Roller shutters, 142 (AE), 368 (L20), 669 (L20)
 Rollers, plant rates, 174

Roof

approximate estimates, 133
 boarding, 348 (K20), 649 (K20)
 coverings/flashings
 aluminium, 135 (AE), 316 (H72),
 621 (H72)
 claddings, approximate estimates,
 134, 135
 copper, 135 (AE), 319 (H73), 622 (H73)
 "Flashband Plus", 323 (H76), 627 (H76)
 "Kal-Zip", 317 (H72)
 lead, 136 (AE), 314 (H71), 618 (H71)
 stainless steel, 135 (AE), 322 (H75),
 626 (H75)
 zinc, 135 (AE), 321 (H74), 625 (H74)
 decking, "Bitumetal", 134 (AE), 332 (J43)
 glazed, approximate estimates, 135
 insulation boards, 330 (J41), 634 (J41)
 lights, 135 (AE), 300 (H31), 362 (L10),
 609 (H31), 664 (L10)
 outlets, aluminium, 461 (R10), 759 (R10)
 screed ventilators, 325 (J21), 329 (J41),
 629 (J21), 633 (J41)
 screeds, 135 (AE), 383 (M12), 683 (M12)
 sheeting
 asbestos-free corrugated, "Eternit",
 134 (AE), 298 (H30), 607 (H30)
 "Kingspan", 299 (H31), 608 (H31)
 sedum, approximate estimates, 136
 steel troughed, 134 (AE), 298 (H31),
 608 (H31)
 translucent, 300 (H31), 609 (H31)
 shingles, red cedar, 313 (H64), 618 (H64)
 trusses, timber, 133 (AE), 286 (G20),
 597 (G20)
 underlay, 310 (H60), 615 (H60)
 ventilators, 310 (H60), 615 (H60)
 windows, 362 (L10), 664 (L10)

Roofing

asphalt, 325 (J21), 629 (J21)
 felt, 136 (AE), 327 (J41), 631 (J41)
 "Andersons" HT, 327 (J41), 631 (J41)
 "Ruberfort HP 350", 328 (J41),
 632 (J41)
 "Ruberoid"
 "Challenger SBS", 328 (J41),
 632 (J41)
 "Superflex Firebloc", 328 (J41),
 633 (J41)
 "Ultra PrevENT", 329 (J41),
 633 (J41)
 metal, *see* "Roof coverings"
 plastic, single layer
 polymer, approximate
 estimates, 136
 "Sarnafil", 331 (J42), 635 (J42)
 "Trocal", 330 (J42), 634 (J42)

Roofing – cont'd

slates
 asbestos-free fibre cement, 310 (H61),
 616 (H61)
 bitumen strip, 323 (H76), 627 (H76)
 "Bradstone", 313 (H63), 618 (H63)
 "Hardrow", 312 (H63), 617 (H63)
 natural slates, 135 (AE), 311 (H62),
 616 (H62)
 reconstructed stone, 135 (AE), 312 (H63),
 617 (H63)
 Spanish, 135 (AE), 311 (H62), 616 (H62)
 Welsh, 135 (AE), 312 (H62), 617 (H62)
 Westmorland green, 312 (H62),
 617 (H62)
 tiles
 alternative prices, 304 (H60)
 clay
 "Dreadnought" tiles, 305 (H60),
 611 (H60)
 interlocking, 304 (H60),
 610 (H60)
 pantiles, 135 (AE), 305 (H60),
 610 (H60)
 plain, 135 (AE), 305 (H60), 610 (H60)
 "Sandtoft" pantiles, 305 (H60),
 610 (H60)
 "William Blyth" pantiles, 305 (H60),
 610 (H60)
 comparative prices, 135 (AE)
 concrete
 interlocking tiles, 135 (AE),
 306 (H60), 611 (H60)
 "Marley", 306 (H60), 611 (H60)
 plain, 309 (H60), 615 (H60)
 "Redland", 308 (H60), 613 (H60)
 steel, "Decra", 298 (H31), 607 (H31)

- Rooflights, 135 (AE), 362 (L10), 664 (L10)
 Roundabouts, approximate estimates, 156
 Rubble walling, 258 (F20), 579 (F20)
- S PIPED SUPPLY SYSTEMS, 492, 785
 Safety, health and welfare of work people, 182
 Sand
 blinding/beds, 208 (D20), 475 (R12),
 542 (D20), 771 (R12)
 filling, 207 (D20), 475 (R12), 541 (D20),
 771 (R12)
 Sanitary and disposal installations, approximate
 estimates, 148
 Sanitary fittings, 149 (AE), 419 (N13), 716 (N13)
 Sapele, *see* "Hardwood"
 "Sarnafil" roofing, 331 (J42), 635 (J42)
 Sawn softwood
 tanalised, 284 (G20), 595 (G20)
 untreated, 283 (G20), 593 (G20)
 Scaffolding, 186
- School
 cost limits, 162
 extension, Building Cost Model, 112
 Screeded beds, concrete, 219 (E10), 547 (E10)
 Screens
 cement:sand, 145 (AE), 380 (M10), 680 (M10)
 early drying, 380 (M10), 680 (M10)
 fine concrete, levelling, 380 (M10), 680 (M10)
 "Isocrete", 383 (M12), 682 (M12)
 pumpable, self-levelling, 383 (M12),
 683 (M12)
 quick drying, 383 (M12), 680 (M12)
 latex, 383 (M12), 682 (M12)
 roof, lightweight, 135 (AE), 383 (M12),
 683 (M12)
 "Screeduct", 447 (P31), 745 (P31)
 Screens
 dust-proof, 533 (C90)
 temporary, 533 (C90)
 Screwing timber etc., 434 (P20), 732 (P20)
 Sealants for concrete joints, 232 (E40), 559 (E40)
 "Sealmaster" fire and smoke seals, 427 (P10),
 724 (P10)
 Security/communications installations, approximate
 estimates, 154
 Security systems, 502 (W), 795 (W)
 Sedum roofs, 52, 136 (AE)
 Seeding, 154 (AE), 456 (Q30), 754 (Q30)
 Septic tanks, 490 (R12), 783 (R12)
 Service connections, approximate estimates, 160
 Service runs, approximate estimates, 159
 Setts, granite, 155 (AE), 455 (Q25), 753 (Q25)
 Shadow gaps, 351 (K40), 654 (K40)
 Shelves, 429 (P20), 727 (P20)
 Shelving systems, 416 (N10/N11), 714 (N10/N11)
 Sheet
 flooring, *see* "Floor, sheeting"
 linings and casings, alternative material prices,
 333
 piling, 210 (D32)
 Shingle, granular, 475 (R12), 771 (R12)
 Shingles, cedar, 313 (H64), 618 (H64)
 Shop fronts, approximate estimates, 142
 Shoring and strutting, 516 (C30)
 Shower tray/fitting, 149 (AE), 423 (N13), 721 (N13)
 Shuttering, permanent
 "Holorib", 225 (E20), 238 (E60)
 "Ribdeck", 225 (E20)
 Shutters,
 counter, 367 (L20), 669 (L20)
 fire, approximate estimates, 142
 roller, 142 (AE), 368 (L20), 669 (L20)
 Sick pay, 171
 Signs/Notices, 424 (N15), 722 (N15)
 "Sika" waterproof rendering, 324 (J10), 628 (J10)
- Sill
 brick, 245 (F10), 568 (F10)
 concrete, precast, 268 (F31), 589 (F31)
 glazed wall tile, 394 (M40), 692 (M40)
 hardwood, 370 (L20), 672 (L20)
 quarry tile, 393 (M40), 692 (M40)
 roofing tile and creasing, 264 (F30), 585 (F30)
 Sinks, 149 (AE), 419 (N13), 716 (N13)
 Site
 preparation, 201 (D20), 534 (D20)
 vegetation, clearing, 201 (D20), 534 (D20)
 work, approximate estimates, 154
 Skirtings etc.
 for those associated with floor finishes, *see*
 relevant materials
 hardwood, 432 (P20), 730 (P20)
 MDF, 430 (P20), 728 (P20)
 plastic, 400 (M50), 697 (M50)
 softwood, 428 (P20), 726 (P20)
- Slab
 coffered, 220 (E10), 548 (E10)
 concrete, 220 (E10), 548 (E10)
 suspended, approximate estimates, 131
 Slates, *see also* "Roofing Slates"
 damp proof course, 262 (F30), 583 (F30)
 flooring, 146 (AE), 395 (M40), 693 (M40)
 wedging and pinning, 215 (D50), 263 (F30),
 546 (D50), 584 (F30)
 Sliding door gear, 443 (P21), 741 (P21)
 Sliding/folding partitions, 368 (K30)
 Slots, masonry, 236 (E42), 562 (E42)
 Smoke vents, approximate estimates, 153
 Soakers
 fixing only, 310 (H60), 615 (H60)
 lead, 315 (H71), 620 (H71)

Softwood

architraves, 429 (P20), 726 (P20)
 basic prices, carcassing, 282 (G20)
 beams, laminated, 287 (G20), 597 (G20)
 boarding, 348 (K20), 649 (K20)
 carcassing, sawn, "tanalised", 284 (G20),
 348 (K20), 595 (G20), 650 (K20)
 carcassing, sawn, "untreated", 283 (G20),
 348 (K20), 593 (G20), 649 (K20)
 cutting out, 521 (C51)
 door frames, 369 (L20), 671 (L20)
 doors, 143 (AE), 363 (L20), 665 (L20)
 fittings, 413 (N10/11), 711 (N10/11)
 flooring, 145 (AE), 348 (K20), 650 (K20)
 floors, approximate estimates, 131
 fungus, beetle eradication, 522 (C52)
 handrails, 430 (P20), 727 (P20)
 preservation, 522 (C51)
 removing, 515 (C20)
 repairs, 520 (C51)
 roof boarding, 348 (K20), 649 (K20)

Softwood – cont'd

skirtings etc., 428 (P20), 726 (P20)
 staircase, 137 (AE), 371 (L30), 673 (L30)
 stress grading, 284, 286 (G20), 594, 597 (G20)
 "tanalised", 284 (G20), 595 (G20)
 timber treatment, 284, 286 (G20), 594,
 597 (G20)
 trussed rafters, 134 (AE), 286 (G20),
 597 (G20)
 weatherboarding, 297 (H21)
 windows, 140 (AE), 355, 357 (L10), 657,
 661 (L10)
 window
 boards, 430 (P20), 727 (P20)
 frames, 356 (L10), 658 (L10)

Soil

factors, 201 (D20), 534 (D20)
 imported, recycled, 207 (D20), 456 (Q30),
 541 (D20), 754 (Q30)
 stacks, approximate estimates, 149

Solar

photovoltaic cells, 43, 154 (AE)
 reflective paint, 325 (J21), 629 (J21)

Sole plates, 293 (G20), 603 (G20)

Sound insulation, 912

Space decks, approximate estimates, 132

Space heating, approximate estimates, 150

Spanish roofing slates, 135 (AE), 311 (H62),
 616 (H62)

Special installations, approximate estimates, 154

"Speedfit" piping, 495 (S10/11), 788 (S12)

Spot items, 527 (C90)

Sprinkler installations, approximate estimates, 153

Squash court plaster, 387 (M20)

Stacks, soil, approximate estimates, 149

Stadium, Regional, Building Cost Model, 109

Staff costs, 180

Stainless steel

angle beads/stop beads, 389 (M20), 688 (M20)

angles, 435 (P20), 732 (P20)

balustrades, 137 (AE), 375 (L30), 677 (L30)

column guards, 236 (E42), 563 (E42)

coverings/flashings, 135 (AE), 322 (H75),
 626 (H75)

cramps, etc., 266 (F30), 303 (H51), 587 (F30)

flues, 499 (T10), 792 (T10)

joint reinforcement, 262 (F30), 583 (F30)

reinforcement, 191 (B), 229 (E30), 505 (B),
 556 (E30)

restraints, head and wall, 266 (F30), 587 (F30)

wall ties, 261, 266 (F30), 581, 587 (F30)

windposts, 266 (F30), 586 (F30)

Stains, *see* "Paint"

Staircases

cast iron, approximate estimates, 137

concrete, 136 (AE), 220 (E10), 548 (E10)

concrete, precast, 237, 238 (E50)

feature, approximate estimates, 137

hardwood, 137 (AE), 371 (L30), 673 (L30)

metal, approximate estimates, 137

Staircases – cont'd

softwood, 137 (AE), 371 (L30), 673 (L30)

steel, spiral, 137 (AE), 375 (L30)

Stair nosings, 400 (M50), 697 (M50)

Stairs,

approximate estimates, 136

terrazzo, 396 (M41)

Standard door frame sets, 368 (L20), 670 (L20)

Steel

acoustic wall panels, 347 (K13)

arch-frames, 391 (M30), 690 (M30)

balustrades, handrail, etc., 137 (AE),
 375 (L30), 677 (L30)

cladding, 134, 139 (AE), 298 (H31), 608 (H31)

rails/purlins, 281 (G10), 592 (G10)

deck/shuttering,

"Holorib", 225 (E20), 238 (E60)

"Ribdeck", 225 (E20)

door/frame, 367 (L20), 669 (L20)

doors, security, 367 (L20), 669 (L20)

erection, 280 (G10), 591 (G10)

grade 355, 280 (G10), 591 (G10)

gutters, pressed, 464 (R10), 762 (R10)

handrails/brackets, 375 (L30), 677 (L30)

hollow sections, 270 (G10)

isolated members, 282 (G12), 593 (G12)

lattice beams, "Metsec", 282 (G12), 593 (G12)

lightweight framing, "Metsec", 281 (G10),
 592 (G10)

lintels, 267 (F30), 587 (F30)

lockers, 415 (N10/11), 714 (N10/11)

partitions, 142 (AE), 350 (K30), 652 (K30)

permanent shuttering, 225 (E20)

- piling, 210 (D32)
- purlins, 281 (G10), 592 (G10)
- reinforcement
 - bars, 228 (E30), 555 (E30)
 - fabric, 230 (E30), 557 (E30)
 - stainless, 191 (B), 229 (E30), 505 (B), 556 (E30)
- roof
 - decking, 134 (AE), 298 (H31), 332 (J43), 608 (H31)
 - tiles, lightweight, 298 (H31), 607 (H31)
 - shelving, 416 (N10/11), 714 (N10/11)
 - smoke vents, approximate estimates, 153
 - space decks, approximate estimates, 132
 - sprinklers, approximate estimates, 153
 - staircases, approximate estimates, 136
 - troughed sheeting, 298 (H31), 608 (H31)
 - windows, 141 (AE), 360 (L10), 663 (L10)
- Steelwork
 - basic prices, 269 (G10)
 - fabricated and erected, 279 (G10), 591 (G10)
 - unfabricated and erected, 282 (G12), 593 (G12)
- Step irons, 488 (R12), 781 (R12)
- "Sto External Render System", 385 (M20), 684 (M20)
- "StoTherm" mineral external wall insulation system, 390 (M21), 689 (M21)
- Stone
 - cladding, 301 (H51)
 - flooring
 - approximate estimates, 146
 - artificial paving, 453 (Q23), 751 (Q23)
 - Portland, 301 (H51)
 - reconstructed dressings, 260 (F22), 579 (F22)
 - rubble walling, 258 (F20), 579 (F20)
 - work, cast, 259 (F22), 579 (F22)
 - York, 146 (AE), 455 (Q25), 753 (Q25)
- Stop beads, 389 (M20), 688 (M20)
- Stop cock pit, 444 (P30), 741 (P30)
- Stopcocks, 494 (S10/11), 787 (S12)
- Stops, 429 (P20), 726 (P20)
- Storage cylinders, 496 (S10/11), 789 (S12)
- Straps, 291 (G20), 602 (G20)
- Street furniture, approximate estimates, 157
- Strip flooring, hardwood, 145 (AE), 350 (K20), 652 (K20)
- Strip foundations, approximate estimates, 128, 129
- Structural carcassing/metal/timber, 269 (G), 590 (G)
- "Structureseal" tanking/fillet, 326 (J30), 630 (J30)
- Substructure, approximate estimates, 128
- "Sundeala A" pinboard, 434 (P20), 731 (P20)
- Sundries, building fabric, 425 (P), 723 (P)
- "Supalux" lining, 344 (K11), 646 (K11)
- Supermarket, Building Cost Model, 93
- "SuperSleve/Superseal" vitrified clay pipes, 480 (R12), 774 (R12)
- Superstructure, approximate estimates, 131
- Suspended ceilings, 147 (AE), 351 (K40), 653 (K40)
- S.U.D.S., 51
- Surface,
 - finishes, 380 (M), 680 (M)
 - treatments, 208 (D20), 542 (D20)
- SUSTAINABILITY, 35
- Swimming Pool, Building Cost Model, 105, 154 (AE)
- Switch socket/outlet points, 501 (V21-22), 794 (V21-22)
- "Synthaprufe", 262 (F30), 325 (J30), 583 (F30), 629 (J30)
- T MECHANICAL HEATING/COOLING/ REFRIGERATION SYSTEMS, 499, 792
- TABLES AND MEMORANDA, 881
- "Tacboard" fire resisting boards, 347 (K11), 649 (K11)
- "Tacfire" fire resisting boards, 347 (K11), 649 (K11)
- "Tanalised" sawn softwood, 284 (G20), 595 (G20)
- Tanking
 - liquid applied, 325 (J30), 629 (J30)
 - mastic asphalt, 324 (J20), 628 (J20)
- Tanks, 496 (S10/11), 789 (S12)
- Tarmacadam roads, 156 (AE), 450 (Q20), 748 (Q20)
- Telephones, 182
- Temporary
 - accommodation, 180
 - additional items, 187
 - fencing, hoarding and screens, 186, 533 (C90)
 - hardstandings, 187
 - lighting, 181
 - roads, 186
 - traffic regulations, 187
- Tender prices index, 60
- Tennis court fencing, 459 (Q40), 757 (Q40)
- Terne coated stainless steel, 135 (AE), 322 (H75), 626 (H75)
- Terracotta
 - blocks, 257 (F10)
 - cladding, 303 (H53)
- "Terram" filter membrane, 208 (D20), 542 (D20)
- Terrazzo
 - faced partitions, 351 (K33)
 - flooring, 146 (AE), 395 (M41), 693 (M41)
 - stairs, 396 (M41)
- Thermal
 - boards, 338 (K10), 640 (K10)
 - insulation, 913
- "Thermabate" cavity closers, 264 (F30), 585 (F30)
- Thin joint blockwork, 252 (F10), 573 (F10)
- "Thistle" plaster, *see* "Plaster"
- Ties, wall, 261, 266 (F30), 587 (F30)
- Tile
 - flooring, *see* "Flooring tiles"
 - roofing, *see* "Roofing tiles"

- wall, 145 (AE), 393 (M40), 692 (M40)
- Timber, *see* "Hardwood" or "Softwood"
- "Timesaver" pipes
 - drain, 157 (AE), 478 (R12), 773 (R12)
 - soil, 466 (R11), 764 (R11)
- Toilet cubicles, *see* "WC cubicles"
- Topsoil
 - imported, recycled, 207 (D20), 456 (Q30), 541 (D20), 754 (Q30)
 - preservation, 201, 203 (D20), 534, 536 (D20)
- Translucent
 - sheeting, 300 (H41), 609 (H41)
 - rooflights, 300 (H31), 609 (H31)
- Trap
 - clay (intercepting), 482 (R12), 776 (R12)
 - polypropylene, 470 (R11), 768 (R11)
- Treatment prices, 284, 286 (G20), 594, 597 (G20)
- Trees,
 - removing, 201 (D20), 534 (D20)
 - planting, approximate estimates, 155
- Trench fill foundations, approximate estimates, 129
- Trenches,
 - drain, 470 (R12), 769 (R12)
 - engineering services, 444 (P30), 741 (P30)
 - preliminary, 211 (D50), 543 (D50)
 - "Tretolastex 202T", 325 (J30), 629 (J30)
- Triple glazing, 198 (B), 379 (L40), 509 (B), 679 (L40)
- "Trocal" PVC roofing, 330 (J42), 634 (J42)

- Troughed slabs, 220 (E10), 548 (E10)
- Trough formers, "Correx", 225 (E20), 552 (E20)
- Truss clips, 293 (G20), 603 (G20)
- Trussed rafters, 134 (AE), 286 (G20), 597 (G20)
- Turf, 154 (AE), 456 (Q30), 754 (Q30)

- UNDERLAY
 - flooring, 400 (M50), 697 (M50)
 - roofing, 310 (H60), 330 (J41), 615 (H60), 634 (J41)
- Underpass, approximate estimates, 156
- Underpinning, 128 (AE), 211 (D50), 543 (D50)
- Unfabricated steelwork, 282 (G12), 593 (G12)
- "Unibond" bonding agent, 683 (M20)
- Universal
 - beams, 269 (G10)
 - columns, 269 (G10)
- uPVC (Unplasticised PVC)
 - channels, 490 (R12), 783 (R12)
 - cladding, 300 (H32), 609 (H32)
 - pipes, *see* "Pipework, uPVC"
 - rooflights, 135 (AE), 362 (L10), 665 (L10)
 - Upper floors, approximate estimates, 131
 - wall linings, 399 (M50), 696 (M50)
 - windows, 141 (AE), 361 (L10), 663 (L10)
- Urinals, 149 (AE), 421 (N13), 719 (N13)
 - reduced water, 49
- USEFUL ADDRESSES FOR FURTHER INFORMATION, 955
- USEFUL WEB-SITES, 971

- V ELECTRICAL SYSTEMS, 501, 794
- VALUE ADDED TAX, 13, 171, 503
- Valves, 495 (S10/11), 788 (S12)
- "Vandex" slurry, 326 (J30), 630 (J30)
- Vapour barrier, 330 (J41), 634 (J41)
- Varnish, 406 (M60), 704 (M60)
- Vegetation, clearing, 201 (D20), 534 (D20)
- Vehicle control barrier, approximate estimates, 156
- "Velfac" windows, 196 (B), 357 (L10), 508 (B), 658 (L10)
- "Velux" roof windows, 362 (L10), 664 (L10)
- Ventilation systems, approximate estimates, 150
- Ventilators, roof, 310 (H60), 325 (J41), 615 (H60), 633 (J41)
- Vents, approximate estimates, 153
- "Vermiculux" cladding, 341 (K10), 643 (K10)
- Vinyl
 - floor tiles, 146 (AE), 398 (M50), 695 (M50)
 - sheet flooring, 146 (AE), 397 (M50), 695 (M50)
- Visqueen, 222 (E10), 326 (J40), 550 (E10), 630 (J40)
- Vitrified clay, *see* "Clay"

- W SECURITY SYSTEMS, 502, 795
- WAGE RATES
 - building industry, 849
 - plumbing industry, 851
 - road haulage workers, 850
- Wall
 - cladding, 300 (H30), 399 (M50), 609 (H30), 696 (M50)
 - finishes
 - approximate estimates, 144
 - granite, 394 (M40)
 - marble, 146 (AE), 395 (M40)
 - kickers, 227 (E20), 554 (E20)
 - linings, 399 (M50), 696 (M50)
 - rails, 376 (L30), 677 (L30)
 - starters, 266 (F10), 587 (F10)
 - ties, 261, 266 (F30), 581, 587 (F30)
 - tiles, 145 (AE), 393 (M40), 692 (M40)
 - units, 148 (AE), 415 (N10/11), 713 (N10/11)
 - urinals, 149 (AE), 421 (N13), 719 (N13)
- Walling, diaphragm, 128 (AE), 211 (D40)
- Wallpaper, 401 (M52), 698 (M52)
- Walls,
 - approximate estimates, 138, 142
 - block, approximate estimates, 138, 142
 - brick, 138, 142 (AE), 239 (F10), 564 (F10)
 - concrete, 139, 143 (AE), 220 (E10), 548 (E10)
 - curtain, approximate estimates, 140
 - external, approximate estimates, 138
 - internal, approximate estimates, 142

- panelled, approximate estimates, 139
- Wash down existing, 698, 706 (M60)
- Water
 - bars, 435 (P20), 732 (P20)
 - closets, 149 (AE), 420 (N13), 719 (N13)
 - for the works, 182
 - hydrophilic strip, 233 (E40), 560 (E40)
 - installations, approximate estimates, 150
 - mains, "Tyton", 498 (S13), 791 (S13)
 - management systems, 48
 - pipework, MDPE, 498 (S13), 790 (S13)
 - stops, 233 (E40), 560 (E40)
 - tanks, 496 (S10/11), 789 (S12)
- Waterproofing, 324 (J), 628 (J)
- Wax polish, 407 (M60), 704 (M60)
- WC
 - cubicles, 195 (B), 350 (K32), 508 (B), 653 (K32)
 - suites, 149 (AE), 420 (N13), 719 (N13)
- Weather
 - boarding, 297 (H31)
 - fillets, 263 (F30), 583 (F30)
- Web-sites, with prices, 971
- Wedging and pinning, 215 (D50), 263 (F30), 546 (D50), 583 (F30)
- Weep holes, 264 (F30), 585 (F30)
- Weights of various materials, 917
- Welsh roofing slates, 135 (AE), 312 (H62), 617 (H62)
- Western Red Cedar cladding, 140 (AE), 323 (H92), 627 (H92)
- Window
 - blinds, 417 (N10/11), 716 (N10/11)
 - boards, 428 (P20), 725 (P20)
 - casements, purpose-made, 355 (L10), 657 (L10)
 - cleaning equipment, approximate estimates, 154
 - frames, purpose-made, 356 (L10), 658 (L10)
 - frame system, "Kawneer", 664 (H10)
 - sash, purpose-made, 360 (L10), 662 (L10)
- Windows
 - aluminium, 141 (AE), 362 (L10)
 - aluminium/timber, 196 (B), 357 (L10), 508 (B), 658 (L10)
 - hardwood, 141 (AE), 355, 359 (L10), 657 (L10)
 - roof, 362 (L10), 664 (L10)
 - softwood, 140 (AE), 355, 357 (L10), 657 (L10)
 - stainless steel, approximate estimates, 141
 - steel, 141 (AE), 360 (L11), 663 (L11)
 - uPVC, 141 (AE), 361 (L10), 663 (L10)
- Windows and external doors, aluminium, approximate estimates, 140
- Windows/Doors/Stairs, 355 (L), 657 (L)
- Windposts, 266 (F30), 586 (F30)
- Wind turbines, 41
- Wood
 - block flooring, 146 (AE), 396 (M42), 694 (M42)
 - fibre boards, 330 (J41), 634 (J41)
 - strip flooring, 145 (AE), 350 (K20), 652 (K20)
- Woodwork, *see* "Hardwood" or "Softwood"
- Working space, allowance, 202, 204 (D20), 535, 537 (D20)
- Wrought/wrot faces, timber, 284, 286 (G20), 594, 597 (G20)
- YORK STONE, 146 (AE), 455 (Q25), 753 (Q25)
- ZINC coverings/ flashings, 135 (AE), 321 (H74), 625 (H74)